

Schotkoppelingen

voor pneumatische slangen 4-12 mm



RoHS
compliant

REACH
COMPLIANCE

The bulkhead fittings & couplings for pneumatic hoses are also available individually, e.g. for use with the [AT-K-M](#) and [QT-AT-K-M adapter grommets](#).

This means that pneumatic bulkhead couplings M12 × 1.0 and M14 × 1.0 can be integrated directly into the cable entry frame.


Specificaties

| | |
|----------------------|--------------------------------|
| Materiaal | Messing, vernikkeld |
| Vlam klasse | UL94-V0, zelfdovend |
| Temperatuur | -40 C° tot 100 C° |
| Eigenschappen | zonder siliconen, halogeenvrij |
| Montage type | Schroefbevestiging |

Voordelen


Producttypes en maten

Schotkoppeling D4




| | |
|--------------------|----------------------|
| Art.nr. | 99210 |
| EAN | 4251269325601 |
| Aantal | 10 |
| Schroefdraad | M12 × 1,0 |
| Lengte | 30,8 mm |
| Voor | 4 mm |
| pneumatische slang | |

Schotkoppeling D6




Art.nr. **99211**
EAN **4251269325**
618
Aantal **10**
Schroefdraad **M14 × 1,0**
Lengte **32,3 mm**
Voor **6 mm**
pneumatische
slang

Schotkoppeling D8




Art.nr. **99227**
EAN **4251269332**
012
Aantal **10**
Schroefdraad **1/4"**
Lengte **23 mm**
Voor **8 mm**
pneumatische
slang

Schotkoppeling D10



Art.nr. **99228**
EAN **4251269332**
029
Aantal **10**
Schroefdraad **1/4"**
Lengte **29,5 mm**
Voor **10 mm**
pneumatische
slang

Schotkoppeling D12



Art.nr. **99229**
EAN **4251269332**
036
Aantal **10**
Schroefdraad **1/4"**
Lengte **31,5 mm**
Voor **12 mm**
pneumatische
slang

icotek[®]
smart cable management